



SAMPLE PREPARATION

APPLICATIONS & PRODUCTS GUIDE

IN FOOD
QUALITY &
SAFETY

Guide > Match your needs with the right product



			Food matrices											
	Targeted molecules	Products	Drinking water	Cereals	Milk & Dairy products	Oil & Fatty food	Honey	Fruits & Puree	Fruit juices	Alcohol	Soft drinks	Spices	Tea, Coffee & Cocoa	Tissues, Meat & Fish
PAHs, PFAS and persistent pollutants (POP)	Perfluorinated compounds	AttractSPE® PFAS	X											
	Polycyclic Aromatic Hydrocarbons (PAH)	AFFINIMIP® SPE PAHs					X							
	Dioxins and hydroxylated dioxins ¹	AttractSPE® HLB	X											X
Antibiotics, drugs residues & other contaminants	Bisphenols (e.g. Bisphenol A)	AFFINIMIP® SPE Bisphenols	X	X	X		X	X	X	X	X			X
	Parabens	AFFINIMIP® SPE Phenolics	X	X										
	Estrone, 17α-Estradiol, 17β-Estradiol, Estriol, 17α- Ethynilestradiol	AFFINIMIP® SPE Estrogens	X	X	X		X	X	X	X	X			X
	Aminoglycosides ²	AFFINIMIP®SPE Aminoglycosides			X		X							X
	Amphetamines ³	AFFINIMIP® SPE Amphetamines												X
	Beta agonists ⁴	AFFINIMIP®SPE Beta agonists				X								X
	Chloramphenicol	AFFINIMIP® SPE Chloramphenicol						X						X
	Drug Multiresidues analysis	AttractSPE® HLB	X											
Mycotoxins	Tetracyclines ⁵	AFFINIMIP® SPE Tetracyclines			X									X
	Zeranol residues ⁶	AFFINIMIP® SPE Zeranol Residues												X
	Aflatoxins B1/B2/G1/G2	AFFINIMIP® SPE Aflatoxins		X										
	Deoxynivalenol (DON)	AFFINIMIP® SPE Deoxynivalenol		X										X
	Ochratoxin A	AFFINIMIP® SPE Ochratoxin A		X						X	X	X		
	Patulin	AFFINIMIP® SPE Patulin							X	X	X			
	Zearalenone	AFFINIMIP® SPE Zearalenone		X										X
Pesticides - Herbicides	Fumonisins & Zearalenone	AFFINIMIP® SPE FumoZON		X										
	Aflatoxins/Fumonisins/Deoxynivalenol / Ochratoxin A/Zearalenone/HT2 & T2	AFFINIMIP® SPE Multimyco LCMSMS		X										
	Aminopyralid, Clopyralid, Picloram	AFFINIMIP® SPE Picolinic Herbicides	X											
Food proteomics	Glyphosate, AMPA	AFFINIMIP® SPE Glyphosate – AMPA	X	X	X		X	X		X	X	X	X	X
	Multiresidues analysis	Qcleanup® - QuEChERS		X	X		X	X	X			X	X	
	Allergenic proteins desalting	BioSPE™PureProt (top down proteomics)		X	X						X			X
		BioSPE™PurePep (bottom up proteomics)		X	X						X			X

Good to know > Food proteomics

Proteomics is very useful to study **food allergens**, by identifying, detecting and quantifying allergenic proteins such as glycinin in soy, gliadins in wheat or caseins in milk. The **BioSPE™ PurePep** and **BioSPE™ PepFrac** kits are respectively used for efficient **desalting and fractionation of peptides** resulting from the enzymatic digestion of proteins, to ensure optimal and reliable LC-MS analysis, with high number of proteins identified!

The **BioSPE™ PureProt** kit can also be used to **purify intact proteins**, for top-down analysis and quantification of total proteins in milk samples for instance!

Table legends > Molecules references

- 1:** PCDD/Fs, PCBs, PBDEs, PBDD/Fs, OH-BDEs, OH-CB/BDE
- 2:** Amikacin, Apramycin, Dihydrostreptomycin, Gentamicins, Hygromycin B, Kanamycin A, Paromomycin, Sisomicin, Spectinomycin, Streptomycin, Tobramycin
- 3:** Amphetamine, Methamphetamine, MDA, MDMA, MDEA
- 4:** Salbutamol, zilpaterol, ractopamine, clenbuterol
- 5:** Tetracycline, Oxytetracycline, Chlortetacycline, Doxycycline
- 6:** Zearalanone, α and β Zearanol, α and β Zearalenol, Resorcylic acid lactones



www.affinisep.com



The art of making sample preparation easier